


# Pulse Oxymeter

# Oxy9Wave

The Most Accurate Oxymeter

**SPECIALLY SUITABLE FOR NEONATES**

Horizontal Display



Vertical Display

**High Performance**

- 3.2" Color TFT LCD for Clear View
- Large memory: Up to 30 Days in 10 Secs
- Nellcor compatibility

**User Convenience**

- Vertical & horizontal display
- Intuitive operation

**SPECIFICATIONS****PERFORMANCE****SpO2 (Blood Oxygen Saturation)**

- Range: 40 to 100%      • 0~69% Unspecified
- Accuracy: 70 ~ 100%, +/-2%

**BPM (Heartbeat)**

- Range: 30 to 250 bpm      • Accuracy: +/-2bpm

**Trend:** Memory: 30 days at 10 second interval**DISPLAY**

- Type: 3.2" TFT LCD (Resolution: 240x400 pixel)
- Display Parameter: SpO2, BPM, SpO2 limit, BPM limit, Level Bar, Heartbeat wave, Time and Data, Alarm volume, Battery status and brightness
- LED Display: Sensor separation, Alarm silence, Charging status and Power connection

**POWER SUPPLY**

- Power consumption: 24VA (max)
- Input: 100-240V~, 50-60Hz, 0.4A
- Output: +5V, 2.0A

**Battery:**

- Type: Lithium-ion battery 4400mAh, 3.7V
- Operating time: upto 20 hours
- Charging time: 6.5 hours

**General:**

- Operating temperature: 5°C to 40°C
- Non-operating temperature: -20°C to 70°C
- Humidity: 5% to 95%
- Operating altitude: -1,000 ft. to 12,000 ft.
- Weight: 300g
- Size: 45 (H) x 210 (W) x 75 (D) mm

**ACCESSORY Standard**

- Adult reusable SpO<sub>2</sub> finger sensor: 1ea
- AC adaptor: 1ea
- Pole mount bracket: 1ea

**Option:**

- Neonate reusable SpO<sub>2</sub> finger sensor (Y-type)
- Extension Cable