


LAPAROSCOPY EQUIPMENT SET

32" HD Monitor



HD Camera



Diathermy with
Vessel Sealer



LED Light Source



Co2 Insufflator
30 Lit. with Air



HIGH DEFINITION ENDOSCOPY CAMERA



Model: **LM-9**



Lumens Medical Pvt. Ltd.

Life Enhancing Technology

Technical Specifications

- Image Sensor: 1/1.9" Sony CMOS Full HD 1080p Sensor
- Total Pixels: 2000 (H) x 1241(V) approx. 2.48M pixels
- Scanning Frequency: H: 15.625 KHz / V: 50 Hz
- Sensor Resolution: 2.13 Megapixel 1080p
- Focal Length of Lens: 22 mm. (ENT) / 28 mm. (Laparoscopy)
- Output: 1 HDMI , 1 3G-SDI
- Input: 1 USB Input (Upto 128 GB Pen Drive)
- White Balance: PUSH LOCK

SURGICAL DIATHERMY with VESSEL SEALING

Model: **Fastseal Plus**




ENERTECH

Technical Specifications

99 Programs Memory Interface	: Graphical LCD Display.
Dimension (W x H x D)	: 300mm x 150 mm x 340 mm.
Weight	: 5.5 kg.
Input Supply Voltage	: 230 VAC + 15%@ 50/60Hz (110 V optional)


CARBON DIOXIDE Co₂ INSUFFLATOR 30 Lit wth AIR



Technical Specifications

- Insufflation Pressure : 0 - 30 mm Hg.
- Gas : CO₂ (Medical) + Air.
- Gas Connection : UNF 7 / 16".
- Power Consumption : 15 Watts Maximum.
- Input Pressure Minimum & Maximum : 1 Bar & 10 Bar
- Output Connection : 4 to 5 mm ID Tube.
- Flow Rate Setting : 1 to 30 Ltr / min.
- Keyboard : Feature Touch.
- Input Supply Voltage : 230 VAC + 15% 50/60 Hz (110 V Optional).


LED LIGHT SOURCE with FIBER OPTIC CABLE



Technical Specifications

- Display : Graphical LCD Display.
- Life Span of LED : @ 50000 Hours.
- Power : 100 watts.
- Voltage : 170 V - 270 VAC (110 VAC optional).
- Light Guide Connection : Storz Type.
- Intensity Control : 0 to 100 %.
- Colour Temperature : 6000° K.
- Operation Temperature : 10° C to 40° C.
- Operation Humidity : 10% to 90%.
- Frequency : 50 HZ.

32" HD MONITOR - Hi Resolution Surgical Display



Model:


MHSD-3220



Features:

- Full HD LED
- Large Screen Display for extended surgical site view
- CE, ISO RoHS Complaint
- PIP Function

LAPAROSCOPES




Laparoscopy Trolley basic with Cylinder placing facility and IV Rod without POWER SOCKETS

Optional: Power sockets

COMPLETE SET OF LAPAROSCOPY INSTRUMENTS

- Bi Clamp reusable • Versess Needle • Trocar 5mm
- Trocar 10mm • Safety Trocar • Maryland Grasper
- Sissors (5 MM) • Maxi Grip Grasper • Hook • Spatula
- Suction tube (10 x 5) • Clip applicator (3 jab)
- 10mm claw. • Knot Pusher • Fan refractor.(5 MM)
- Bipolar grasper 5mm • Bipolar grasper cable
- Babcock grasper • PCOD Needle • Needle Holder
- Mayoma screw • Ring applicator set • Vaginal tube
- Hemoclip applicator • Uterine manipulator set
- Reducer • Port closer • Aspiration needle.
- Trocar(7mm) • Atraumatic grasper • Toothed grasper
- Suction & irrigation cannula(5mm).



Lumens Medical Pvt. Ltd.

Life Enhancing Technology

An ISO 9001, ISO - 13485, CE, WHO cGMP ISO -1400 Certified Company
 # 2-24-113/3/B/NR, 1st Floor, Laxmi Narayana Nagar, Uppal, Hyderabad - 500039
 Email : lumensmedical@gmail.com www.lumensmedical.com
 Ph: 9849466520, 7997192056, 6309995893

Available at:

XAVIER Med Pvt. Ltd.

1-10-51/2, Road 6B, Dwarakapuram,
 Dilsukhnagar, Hyderabad - 500060

www.buyxavier.com

Customer Care: 8008895680, Service: 8008895079